

Docket: 393042

CLAIM OR CLAIMS:

WHAT IS CLAIMED IS:

19=

- 5 A functional fluid composition that generates reduced levels of 1. carboxylic acid during use comprising:
 - a basestock comprising a phosphate ester, and (a)
 - at least one acid scavenger selected from (b)
 - epoxides of the formula

(I)

10

(ii) epoxides of the formula

(II), or

16-21


15

The state of the same of the s

(iii) mixtures thereof;

wherein R^1 , R^2 and R^3 are independently selected from H_2 , $-(CH_2)_5$ R and -C(O)- R^{12} , and wherein one or two of \mathbb{R}^1 , \mathbb{R}^2 and \mathbb{R}^3 are $-\mathbb{C}(O)-\mathbb{R}^{12}$ or $-(\mathbb{CH}_2)_n-\mathbb{R}$; \mathbb{R}^4 is selected from H or

-CH₃; and R⁵, R⁶, R⁷ and R⁸ are independently selected from H , -(CH₂)_n-R and -C(O)- R^{12} , and wherein up to two of R^5 , R^6 , R^7 and R^8 are $-C(O)-R^{12}$ or $-(CH_2)_n-R$; wherein R is selected from H, a linear or branched alkyl group having 1 to 12 carbon atoms, an arylalkyl group having 7 to 12 carbon atoms, -O-R¹⁰, -O-R⁹-O-R¹⁰,



, or $-\text{Si-}(\text{OR}^{11})_3$; R^{12} is selected from a linear or branched alkyl group having 1 to 12 carbon atoms, or an arylalkyl group having 7 to 12 carbon atoms, n is an integer from 1 to 4, R^9 is an alkylene group having 2 to 6 carbon atoms, R^{10} is an alkyl group having 1 to 12 carbon atoms, R^{11} is an alkyl group having 1 to 8 carbon atoms, and R^{12} is an alkyl group having 1 to 12 carbon atoms.

2. The composition of claim 1 wherein said acid scavenger is an epoxide of formula (1)

102

10 3. The composition of claim 2 wherein one of $\mathbb{R}^{\frac{1}{2}}$, $\mathbb{R}^{\frac{2}{2}}$ and $\mathbb{R}^{\frac{3}{2}}$ is $\mathbb{C}(0)$ - $\mathbb{R}^{\frac{12}{2}}$ or $\mathbb{C}(\mathbb{C}H_2)$, \mathbb{R} .

10 7

4. The composition of claim 3 wherein one of R^1 , R^2 and R^3 is

103

(-(CH₂)_n-R.)

5. The composition of claim 4 wherein R is selected from a linear or branched-alkyl group having 1 to 12 carbon atoms, an arylalkyl group having 7 to 12 carbon atoms, -O-R¹⁰, -O-R⁹-O-R¹⁰.

103

7. The composition of claim 2 wherein R^1 and R^2 are C(0)- R^{12} or

103

 $(CH_2)_n$ -R

 $(-(CH_2)_n-R.$

20

8. The composition of claim 7 wherein R^1 and R^2 is

The composition of claim 5 wherein n is 1.)

100

9. The composition of claim 8 wherein R is selected from a linear or branched alkyl group having 1 to 12 carbon atoms, an arylalkyl group having 7 to 12 carbon atoms, -O-R¹⁰, -O-R⁹-O-R¹⁰.

12,0

25 10. The com

6.

10. The composition of claim 9 wherein n is 1.

10,3

The composition of claim 2 wherein R^3 and R^3 are C(Q)- R^{12} or $C(CH_2)_n$ -R.

10)

12. The composition of claim 11 wherein R¹ and R³ is $(CH_2)_{n-R}$.

V2>

- 13. The composition of claim 12 wherein n is 12.
- 14. The composition of claim 2 wherein R⁴ is H)
- 15. The composition of claim 1 wherein said acid scavenger is an epoxide of formula (II).

The composition of claim 15 wherein one of (R^5, R^6, R^7) and (R^8) is 16.

 $-(C(\Theta)-R^{12})$ or $-(CH_2)_n-R$

17.

102 The composition of claim 16 wherein one of R⁵, R⁶, R⁷ and R⁸ is

0>

 $-(CH_2)_n - R.$

5

10

15

ģ

The composition of claim 17 wherein n is-1. 18.

19. The composition of claim 1 wherein said acid scavenger is

20. The composition of claim 15 wherein said acid scavenger is:

21. The composition of claim 6 wherein said acid scavenger is

135


22. The composition of claim 6 wherein said acid scavenger is:

20 23. The composition of claim 6 wherein said acid scavenger is:

The state of the s


24. The composition of claim 1 wherein said acid scavenger is:

25. The composition of claim 6 wherein said acid scavenger is:



26. The composition of claim 3 wherein said acid scavenger is:

27. The composition of claim 3 wherein said acid scavenger is



28. The composition of claim 13 wherein said acid scavenger is:


15

10

5

£2, 10 į...b (°) Part State

The composition of claim 6 wherein said acid scavenger is: 29.




- 5
- 30. The composition of claim 18 wherein said acid scavenger is:


31. A method for reducing the production of carboxylic acid during

use of a functional fluid comprising (a) a basestock comprising a phosphate ester, and

(b) at least one acid scavenger, said method comprising admixing in said functional 10 fluid at least one acid scavenger selected from epoxides of the formula:



epoxides of the formula:



- mixtures thereof; wherein R^1 , R^2 and R^3 are independently selected from H, $-(CH_2)_n$ -R15 and $-C(O)-R^{12}$, and wherein one or two of R^1 , R^2 and R^3 are $-C(O)-R^{12}$ or $-(CH_2)_n-R$; R^4
 - is selected from H or $-CH_3$; and R^5 , R^6 , R^7 and R^8 are independently selected from H,
 - $-(CH_2)_n$ -R and -C(O)-R¹², and wherein up to two of R⁵, R⁶, R⁷ and R⁸ are -C(O)-R¹² or
 - -(CH₂)_n-R; wherein R is selected from H, a linear or branched alkyl group having 1 to
- 12 carbon atoms, an arylalkyl group having 7 to 12 carbon atoms, -O-R¹⁰, -O-R⁹-O-R¹⁰, 20